

the professional lightweight welder for the roof



simple. good. affordable.





# roofer RW3400

The handy hot air welder prevails giant machines in welding quality: handy, simple and good!







simple. good. affordable.





Extra wide 40 mm welding nozzle fulfills international roofing standards.

Heavy weight direct above the contact roller results in a high quality weld seam.



Powerful 3400 W hot air blower to achieve the desired temperature and air volume.

Integrated laser beam for easy machine guidance.

- Free adjustable speed up to 7.5 m/min
- Made for TPO and PVC materials
- Automatic driving and welding start
- Guide bar and lifting device for easy handling
- Free variable welding temperature

### The ideal supplement to the WELDY roofing devices



WELDY energy 1600 overlap welding kit



Perfect storage case for all necessary tools (included with purchase)

## www.weldy.com



#### Technical data roofer RW3400

Voltage	V~	230
Power	W	3500
Dimensions (L x W x H)	mm	470 x 285 x 320 without guide bar
Temperature	°C	50-600
Weight	kg	15
Speed	m/min	1 – 7.5
Welding nozzle width	mm	40

Due to our continuing program of research and development, the specifications herein are subject to change without prior notice.

### Order numbers

roofer RW3400 40 mm weld seam with 16 A CEE plug:145.590Inluded with purchase: strong storage box, spare heating element Weldy and brass brush

**energy 1600** hot air hand tool overlap welding kit (230 V) with EU plug: **130.468** (including wide slot nozzle 20 and 40 mm, plus pressure roller)

#### Your Sales and Service partner

WELDY AG Galileo-Strasse 10 CH-6056 Kaegiswil Switzerland

info@weldy.com

www.weldy.com